DESIGN STYLES & COSTS

RADBOUD UNIVERSITY PRESS

PROEFSCHRIFT // ONTWERP

TABLE OF CONTENTS

Explanation **5**

Cover DesignComplete templates **7**

Interior DesignComplete styles **11**

Chapter 1 Interior Design Style 1 13

Chapter 2 Interior Design Style 2 21

Chapter 3 Interior Design Style 3 29

Additional options **37**

Print-ready-file interior 37

DesignBlend interior 37

DesignSpecial interior and/or cover 37

Costs **39**

DesignComplete package (Printing + design) 39

Prices additional options 41

File submission guidelines **43**

EXPLANATION

Below you will find a brief explanation of the contents of this sample booklet and how you can indicate your preferences.

The standard design option of Radboud University Press is the **DesignComplete** package for both the cover and the interior. It is also possible to upgrade the standard package with additional options. These are explained in this booklet as well. It is also possible to provide your own designed interior file (in pdf format). We will review it to ensure that it is fully print-ready.

If you choose the standard **DesignComplete**-option from Radboud University Press, you can select one of three interior DesignStyles for your dissertation (and one template for the cover).
The styles differ subtly in aspects such as the typeface, the side tabs, page numbering, chapterpages, and the placement of the shortened title. The examples allow you to compare these differences and decide which style best suits your dissertation.

Chapterpages

The chapterpages are, by default, designed according to the selected DesignStyle and include a watercolor splash on the left-hand side. This can be customized to a color that matches the cover of your dissertation.
You may also choose to incorporate the cover image into the chapter pages. This can be done subtly as a watermark or as a full-page image. Alternatively, the chapter pages can be designed without any image.
These customizations are included at no additional cost.

Cover

This package also includes the placement of a cover image supplied by you. Your image will be incorporated into one of the three Radboud University Press house style templates:

- General Radboud University Template
- Donders Institute Template
- Radboudumc Template

We will then take care of the typography for the title, author's name, and any additional text on the front cover, back cover, and spine, ensuring that the cover design is consistent with the selected style.

COVER DESIGNCOMPLETE **TEMPLATES**

DesignComplete Cover


Here you can see the three Radboud University Press cover templates.

We will incorporate your supplied cover image into the template of your choice. A designer will position the title and author's name according to the selected design. If you prefer, you may also submit a fully designed cover with the title and text already in place.




• Template Radboud Universiteit

- Research Institute for Philosophy, Theology and Religious Studies
- Radboud Institute for Culture & History
- Onderzoekcentrum Onderneming en Recht
- Onderzoekcentrum voor Staat & Recht
- Institute for Management Research
- Radboud Social Cultural Research
- Centre for Language Studies
- Institute for Biological and Environmental Sciences
- Institute for Molecules and Materials
- Institute for Mathematics, Astrophysics and Particle Physics
- Institute for Computing and Information Sciences
- Centrum voor Parlementaire Geschiedenis
- KASKI (Katholiek Sociaal-Kerkelijk Instituut)
- Institute for Science in Society
- Radboud Docenten Academie



- **Template Donders**

- Donders Institute for Brain, Cognition and Behaviour




• Template Radboudumc

• Radboudumc

INTERIOR DESIGNCOMPLETE **STYLES**

DesignComplete Interior Layout

The following pages present the three DesignStyles available for the interior layout of your dissertation when you choose the DesignComplete package from Radboud University Press.


1

CHAPTER 1

The typeface used in Design Style One is Myriad Pro. The colors of the chapter pages will be customized to complement the cover design.

Firstname Name, Firstname Name, Firstname Name, Firstname Name, Firstname Name
Firstname Name, Firstname Name, Firstname Name

Published as:
Text Text Text. 2026;

ABSTRACT

Introduction

Sedigendel moluptatur re od quid quiduciae core molore qui rem que laboresti sum unt vellis et exerovit, ipit quam, intiorum latas acculloreris solo most est, quia corendebit arum reriberum endest, cuptur? Eliquas se laceperias et, corest, odipica esciis delesti oreperibus as cus repel estrum que et am am, ut doloreniet eate necumqu iscipsunt quo consequiam, tem audam repra desseque dolupta eptasperibus excera ipsam harum faciat.

Methods

Ferum qui corenda ecabo. Et hil mi, venia nullitam sinum quat omnis enimus atusand untionse conserum alita nobit aliassi minvent volecep eliquam fuga. Ugiat fugite delenia dolo veriae. Sum, aut id expe dit liquam quam hario. Nam, nemquod quias dis siti audicienim fugia susanih icipsum eatis eatiume dolorum fugit imoditium eressi teculpario qui tore venis aut fuga. Ut es ello beatate simolor sequossit lacerit atecusae vent landips animporerest ommos audit, sim quossit dolorrores di cusam nos eatiusamus doluptiusdae sit, sedignatur aut vel et magnimaiorro to etur, eatur aut ad et debit, seque minveli quatur ad quia dolo blabo. El id que mo dolut ut ma volo in nonet et velent, ulla invelicit ius.

Discussion

Num escium fuga. Am facil eosapic tincipiet, quodignis nam sequam eume int la dem ius non nest, comnis pliqui nobis minctatectem qui commolore dolore laborae. Ilit quo eiciis sam, tem eic te lant omnihit idusapid esciam necto cuptatist, volorem conetur itatempore, sum endeles ciist, si ius, simpor am quame restio. Mus, officius volupta epellat ibusam la si optaturem quature volorum quaepello isquibu stionsequo tem ut moluptur, tem sunt ent venihici temquae cusdae optiaeris dolore eictiat ma quatiasit antur? Qui to eat.

Conclusions

Ihic te doloribus quo ime solloreste experum qui ut es es etust, entemo consend ipidit eos net el iur asperatum aut quaspeles el magnim evellaborrum ad mi, con peditas peliquas aut qui odio volupta volut accuptin comnis eossin pos alibus re voluptium, ist dipsum nimenis venis alicil eium numquiam nonsequam rehendest est perchictatur sin nonest, im ut laut ipiet quae ni natest, qui dem. Ipid qui ute vento dolutem restius doluptat aut vel evendi alibus secest, soluptat.

INTRODUCTION

Ed quiassime quam, consequia con pratempor moloreiuntis diorior re, omnisit quam quate volo vendici liquaspel iuritibus doloria suntium re in exerum lia ipsae lat remporp orerferi dest acessequo beat re et et et fuga. Name nos et idit ero te eum qui nullautatur? Iciist aperest fugiasperum voluptam, sam ea es venduci optaeped utecabore volorep udisquat faccatem isquid magnihil id et vent audi cus et voluptas quamet pro il magnam et il eiur, nis exeria quamus secullibus, nus.

Tassit, consed ulloreium re et, qui nullis eium dolum harumet di delenimus possequiae nessed quuntem cumenimi, sequunt voluptatem enisquiatur, cusamentius aut ma num nienden delique net, nonsed et, aceprerror as dem etur aut quo velissi tisimus as sequibus doleseq uostiae a que non conet repedit, con nuscil moles explab int, sita sum quo omnis magnihicia cus ex eum rem fugiae officat ut eaquidenem sequiamus eos as sitiume ma di illanditio. Anda verum quiberiaessi sunt remquatis num nonsequ aeptaquis ullitiunt ium fugiam etur?

Consed estrum quia nonsequ atust, omnit atiaspiet hitatem ut incienda quis init odit ium quibus di ratur rate nimusam dolore, cor sus sint pro voluptam, et quis miliquundae necest aut int, si ommoles equibusa dictem quas re porerrum faccus et faceaqu aectiur iorio. Abore voluptat.

Subheading line 1

Ut rescipidem volo moditas evel moluptatur? Quis ariti tore volorrum estor sitatqui utatemquam fuga. Faccab il ium volore, aut exeruptia dist, nessiti nonest occabor sum ate ad ea consenis res nihit, officienit ut aruptam quid quis dolupit volorumquidi offıcturio est, eario endus moluptatur re a quibusciisim fugiaesecea quias deristo taquia quo voluptas dolenectem harunt aut omni nim harcipsae omnis es autat vendi doluptas sequisc ipsam, optatectem aut eos maxim faceroreсte eliam et lamet vel iumquam quasi simoluptatur sit, omnitis del inctiuntur sectem cum niendunt aut ea con nis mil ipid et porporum imi, elit, eos sunt et ma quiatur remque illam sequo venecum fugiati scilignatem num sanducidebis etum vendia nonet, aliquias dolore consequaspit mi, audit, ut aut molupta ssequasqui illoratur, totatent quibusam, il inctam asitibus dem et volum, sequo verfersped qui tem a pro eos dionse dolupta qui rem. Quis re paris repe ducienihicab is dicatessum ut optatur si diatecu ptatiam es modit ra viti volestio officiatur, cullandit eiciusa ectempos magnis vel im labo. con corrupis sin con ea cum quam voluptaque vellandit, exceris is reium atiiscia vel imolliquias ea aut molecum qui sinimin ihilis rempedit idem rae. Odi omnis quiat accumque que repro doloraere aliquod quatin cus et moleceseque veliandit, cus et idusam eium lHent, id uta consectiunt asserum ea con corrupis sin con ea cum quam voluptaque vellandit, exceris is reium atiiscia vel imolliquias ea aut molecum qui sinimin ihilis rempedit idem rae. Odi omnis quiat accumque que repquatin cus et moleceseque veliandit, cus et idusam eium lacero quias et quaecust, odiscid eos expliqu isquid que voloris inciis explitate cum aut pel maio quia nusa dolo eos conseque sit que placcatiatem della volecaborum et accus eosam quiandis moloribea sunt.

Ur adigende voluptatem is quatur si que si te nobit, totae maximpo restionem. Onemque et ea aliberum is reritatur mos quo volor reheni doloribus, ommolupicias quo mossitatem quam, cus eius, commodis ma eveniae ipicidit velestium earibus molores tiasit, quo occusam lam, ut aruptam, versper rovidi id maximus ex et, istium coreium aut lamendisi disciis aut qui volore consequi dolorrum, ommolorio dia voluptur?

METHODS

Citaestrum sandendiciis aboriaecus, si occabor eperovit, venet fuga. Ut latem velignim imil maximag namenti bustiat ullatiant dolupidenis et verionse nis mo beatur rerumqui officae verum nis eatius in nat quibus, et et apiciet umquid erum nonsed que nem facere sae. Feri at voluptat volupta sedi dolore quunt, utest venis provitiissum illam quam, odic te niae natenderitat eum abore, es solorpores exero qui am faccaecestis et optaers pediaerum de pa as magnate et harchicil inciat enia consecto el is explique voluptam, odis et ut facest quati aborecti res ut aut rendia non porum ut adita quis sae eiur soluptincte magni quia enis idebit abo. Ut quo mi, net alicabo. Ecus, ant accus.




Figure 1. Figure title, this is Figure Style 1.

The figure caption is placed below the title. To visually distinguish figures from the main body text, a thin horizontal rule is added above the title. This also creates a consistent visual style with the formatting of tables.

Des sae optur si blab ipsus, seque voluptiam estotatus vent.

Liam fugia quo doluptas non eatior sita nestium sam am et lam dolupture parum facea quiae mint, ipsuntiatius electur ehendae nem quidi alitatusam, cori iumquia simporit vendisini odia arum aut pre imporendam re non cuptat as ad que omnimo evel ma secea nat eum inciatem quata neturibus ullecatibus consequiae versperrum inciae re prerum quiatios sitiatus a volectinum que pro dunt plit doluptatus samustem inullaccum et eos eatiissit es cum volor aut illa quo oditiis sed que ma qui quiaes si con ne earum enia con plabori beataspel ipist, omnimo et a nos anti quassin ctatis sinctaeserro totati cuptate seque consequ atquas nobitae doloria dusda doloreprem voloruptate debitio nsenis ist odis sam re vera secepere doloria eceatate rerspient ut am iditat libus.

Subsub heading line 2

Et magnam voluptas etur molut lat fugias maiorum coresto tectessi ut venecuptatur accupit hit, aut eossinum num que porro imodis voluptas mostet reruptiunt latum, arit as a quam dolut volore, quuntiuri aliquamus aspe dolorum inciis nihil in nonseditae. Doluptia dolorpo repudae. Udaerem sandae in parcidebis et ulpa dellupt atempel eaquasit, cus voloreptam, quid modi quis eiunt, evel modit delendit, a sae preptat ecabo. Lignimus, que re oditiis nosandus volor sitium adit, ommo tota vendit et estio. Et porenimi, abor saescium siminct oresequod que litam qui volorerepe verae vel iumet laut omni dolupta delesti osandignis im alibusaped quis as sernatium sitaquam nonserupicia volupta consequi ut officiis et hilique pliatur sam, conseque laut plibustrum re adi resti quia voluptati di omni re nimi, omnimus.

Pudae. Seque pro maio doluptatecte provit quam, accusdam facerate volorib usantem a quidebistia descilictur, officid ut quam faccumquas dipsunt, sitae volut alistrupit aut.Dempernat alicabo. Lenectatur, sinverferum dessitia dolesseque nim et utat eatur si de volorest, veles atempore con cupta niae. None rentempore od et volorep erovidis autat aut odigend aerunte ndipient mincitatque dolupta nim harchil lesequi tem cus dit et, occumet quibus solorae. Nam quis et quam hario. Et quia vel inveri con rem harit volorro tem sam volupturia dolor as volum, qui accus voluptiore eatum ullanto reperup tatur, qui consequost estiis as doloreh endebit, sum quam ea nonsed eatius et ut ulparum voluptaquunt faccatur?

Subsub heading line 3

Ne porero modis que eicae resequamusa non conse ipsapid ucitiorum, occaecepudis et la et, qui tor mintiores eosam, ium que re et et, ium acestia doluptature non experuptat volupta sperio. Nam sandicime nessunto ma solorem quis vetae vent erum, quidis iurion parum res eveligenis plabo. Voloreri officient ium autem dolorio omnis mo cus duntia sim et endipsant dolori ide et et rentore ptatqui ut omnimodio mo blatur? Doluptatur a pre voluptatur? Seditate nonsed ullesequis esequam alibus conest, quodiam estio omnissit a aut fugiaspicia debitate poria imusam et, odisimpero est doluptatet veliqui dolest. Uptae num nobiscienia volupta sitios eum hil ium re vit int utentorat omnia doluptas magnis molor mod quundunt.

Table 1. Title of the table in TableStyle 1

Variable	Placebo n=552 (54.9%)	BCG n=517 (51.3%)
Age category – no. (%)*		
60-69	408 (73.9)	384 (74.3)
70-79	113 (20.5)	114 (22.1)
80+	31 (5.6)	19 (3.7)
Sex – no. (%)		
Male sex	297 (53.8)	283 (54.9)
Female sex	255 (46.2)	234 (45.3)
Comorbidities – no. (%)		
Cardiovascular disease	101 (18.3)	85 (16.4)
Chronic kidney disease	13 (2.4)	7 (1.4)
Asthma	38 (6.9)	29 (5.6)

Abbreviations: These tables use as few lines as possible to maintain a clean and uncluttered appearance. Additional horizontal rules are only added in larger tables where they improve readability.

Ne parum facerruptate soloris di od quis re ea dollam, sitiur sundaerunt aligenducia derem accus dolorru ntionse dionsendit, conemporro tem rem laccus, qui restem lliquia quam, sundis ipsunt, te rem qui voloresti cum alicienis nihil idita qui doloritem rem sequatus aciis aut et odit, vent, offictatqui omnit fuga. Ipsusandio qui doluptate odionsed exerovit laut offic tem explab intium ant est, verro officius ut rest asitinciis et ut eatinum volorem aliquae ctiunt.

CONCLUSION

Nemque sitatur acepernatem eostrum volorem accaero id endaest quo ipieni venihil ignatia que nobitio volo ommoloratem hil ium idunt volor sequam assincit vel inimper natiis rem. Et volore et rem is apidustiatem volore sunt posandae accust, sequi quassuntur sus molest, quis et, consequam, officab orernatiur, corat aliquam ea sint volo con nese qui ut rectatquo mossus rerchit emporem quae mo comnis audi ut de ventia delenderum hil inullande nitibus, comnihi ctotatusam, voloreiunt.

At aut omnis volorem. Orereritium rempore volorporios nat in nullacea simagna menecus, ipsapelesti apitiat usdae. Nus mo volut venihitam sitatiandia qui cumque velit omnit quia quiati volupic ienimustibus ex elest, everum qui bereria dolume illa voluptatur restrum a voluptat labores maion es sandita eat et autemod molupti istibusdae rati nihitatquati corem rem eatque ea accusdae cum facea arum alitat occuptatiur aut et fugiti doluptur aut hiciaere quamet int, aut venist et haribus voluptatur at que explicae omnim estrum is consequo veratus nihil imi, nos everum hariorro et, sus.

REFERENCES

1. Cardiovascular. diseases (CVDs) Fact sheet no. 317: World Health Organization September 2012. Available from: http://www.who.int/mediacentre/factsheets/fs317/en/index.html.
2. Baigent C, Blackwell L, Emberson J, Holland LE, Reith C, Bhala N, et al. Efficacy and safety of more intensive lowering of LDL cholesterol: a meta-analysis of data from 170,000 participants in 26 randomised trials. Lancet. 2010;376(9753):1670-81.
3. Randomised trial of cholesterol lowering in 4444 patients with coronary heart disease: the Scandinavian Simvastatin Survival Study (4S). Lancet. 1994;344(8934):1383-9.
4. Sacks FM, Pfeffer MA, Moye LA, Rouleau JL, Rutherford JD, Cole TG, et al. The effect of pravastatin on coronary events after myocardial infarction in patients with average cholesterol levels. Cholesterol and Recurrent Events Trial investigators. N Engl J Med. 1996;335(14):1001-9.
5. Downs JR, Clearfield M, Weis S, Whitney E, Shapiro DR, Beere PA, et al. Primary prevention of acute coronary events with lovastatin in men and women with average cholesterol levels: results of AFCAPS/TexCAPS. Air Force/ Texas Coronary Atherosclerosis Prevention Study. Jama. 1998;279(20):1615-22.
6. Prevention of cardiovascular events and death with pravastatin in patients with coronary heart disease and a broad range of initial cholesterol levels. The Long-Term Intervention with Pravastatin in Ischaemic Disease (LIPID) Study Group. N Engl J Med. 1998;339(19):1349-57.
7. Libby P. The forgotten majority: unfinished business in cardiovascular risk reduction. J Am Coll Cardiol. 2005;46(7):1225-8.
8. Deedwania P, Barter P, Carmena R, Fruchart JC, Grundy SM, Haffner S, et al. Reduction of low-density lipoprotein cholesterol in patients with coronary heart disease and metabolic syndrome: analysis of the Treating to New Targets study. Lancet. 2006;368(9539):919-28.
9. Yusuf S, Hawken S, Ounpuu S, Dans T, Avezum A, Lanas F, et al. Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. Lancet. 2004;364(9438):937-52.
10. MRC/BHF Heart Protection Study of cholesterol lowering with simvastatin in 20,536 high-risk individuals: a randomised placebo-controlled trial. Lancet. 2002;360(9326):7-22.
11. Baigent C, Keech A, Kearney PM, Blackwell L, Buck G, Pollicino C, et al. Efficacy and safety of cholesterol-lowering treatment: prospective meta-analysis of data from 90,056 participants in 14 randomised trials of statins. Lancet. 2005;366(9493):1267-78.
12. Versmissen J, Oosterveer DM, Yazdanpanah M, Defesche JC, Basart DC, Liem AH, et al. Efficacy of statins in familial hypercholesterolaemia: a long term cohort study. BMJ (Clinical research ed). 2008;337:a2423.
13. Sirimarco G, Labreuche J, Bruckert E, Goldstein LB, Fox KM, Rothwell PM, et al. Atherogenic dyslipidemia and residual cardiovascular risk in statin-treated patients. Stroke. 2014;45(5):1429-36.
14. Hovingh GK, Rader DJ, Hegele RA. HDL re-examined. Curr Opin Lipidol. 2015;26(2):127-32.
15. Hokanson JE, Austin MA. Plasma triglyceride level is a risk factor for cardiovascular disease independent of high-density lipoprotein cholesterol level: a meta-analysis of population-based prospective studies. Journal of cardiovascular risk. 1996;3(2):213-9.


2

CHAPTER 2

**The typeface used in Design Style Two is Calibri.
The colors of the chapter pages will be customized to complement the cover design.**

Firstname Name, Firstname Name, Firstname Name, Firstname Name, Firstname Name
Firstname Name, Firstname Name, Firstname Name

Published as:
Text Text Text. 2026;

Abstract

Introduction

Sedigendel moluptatur re od quid quiduciae core molore qui rem que laboresti sum unt vellis et exerovit, ipit quam, intiorum latas acculloreris solo most est, quia corendebit arum reriberum endest, cuptur? Eliquas se laceperias et, corest, odipica esciis delesti oreperibus as cus repel estrum que et am am, ut doloreniet eate necumqu iscipsunt quo consequiam, tem audam repra desseque dolupta eptasperibus excera ipsam harum faciat.

Methods

Ferum qui corenda ecabo. Et hil mi, venia nullitam sinum quat omnis enimus atusand untionse conserum alita nobit aliassi minvent volecep eliquam fuga. Ugiat fugite delenia dolo veriae. Sum, aut id expe dit liquam quam hario. Nam, nemquod quias dis siti audicienim fugia susanih icipsum eatis eatiume dolorum fugit imoditium eressi teculpario qui tore venis aut fuga. Ut es ello beatate simolor sequossit lacerit atecusae vent landips animporerest ommos audit, sim quossit dolorrores di cusam nos eatiusamus doluptiusdae sit, sedignatur aut vel et magnimaiorro to etur, eatur aut ad et debit, seque minveli quatur ad quia dolo blabo. El id que mo dolut ut ma volo in nonet et velent, ulla invelicit ius.

Discussion

Num escium fuga. Am facil eosapic tincipiet, quodignis nam sequam eume int la dem ius non nest, comnis pliqui nobis minctatectem qui commolore dolore laborae. Ilit quo eiciis sam, tem eic te lant omnihit idusapid esciam necto cuptatist, volorem conetur itatempore, sum endeles ciist, si ius, simpor am quame restio. Mus, officius volupta epellat ibusam la si optaturem quature volorum quaepello isquibu stionsequo tem ut moluptur, tem sunt ent venihici temquae cusdae optiaeris dolore eictiat ma quatiasit antur? Qui to eat.

Conclusions

Ihic te doloribus quo ime solloreste experum qui ut es es etust, entemo consend ipidit eos net el iur asperatum aut quaspeles el magnim evellaborrum ad mi, con peditas peliquas aut qui odio volupta volut accuptin comnis eossin pos alibus re voluptium, ist dipsum nimenis venis alicil eium numquiam nonsequam rehendest est perchictatur sin nonest, im ut laut ipiet quae ni natest, qui dem. Ipid qui ute vento dolutem restius doluptat aut vel evendi alibus secest, soluptat.

Introduction

Ed quiassime quam, consequia con pratempor moloreiuntis diorior re, omnisit quam quate volo vendici liquaspel iuritibus doloria suntium re in exerum lia ipsae lat remporp orerferi dest acessequo beat re et et et fuga. Name nos et idit ero te eum qui nullautatur? Iciist aperest fugiasperum voluptam, sam ea es venduci optaeped utecabore volorep udisquat faccatem isquid magnihil id et vent audi cus et voluptas quamet pro il magnam et il eiur, nis exeria quamus secullibus, nus.

Tassit, consed ulloreium re et, qui nullis eium dolum harumet di delenimus possequiae nessed quuntem cumenimi, sequunt voluptatem enisquiatur, cusamentius aut ma num nienden delique net, nonsed et, aceprerror as dem etur aut quo velissi tisimus as sequibus doleseq uostiae a que non conet repedit, con nuscil moles explab int, sita sum quo omnis magnihicia cus ex eum rem fugiae officat ut eaquidenem sequiamus eos as sitiume ma di illanditio. Anda verum quiberiaessi sunt remquatis num nonsequ aeptaquis ullitiunt ium fugiam etur?

Consed estrum quia nonsequ atust, omnit atiaspiet hitatem ut incienda quis init odit ium quibus di coriandebis ium ratur rate nimusam dolore, cor sus sint pro voluptam, et quis miliquundae necest aut int, si ommoles equibusa dictem quas re porerrum faccus et faceaqu aectiur iorio. Abore voluptat.

Subheading line 1

Ut rescipidem volo moditas evel moluptatur? Quis ariti tore volorrum estor sitatqui utatemquam fuga. Faccab il ium volore, aut exeruptia dist, nessiti nonest occabor sum ate ad ea consenis res nihit, officienit ut aruptam quid quis dolupit volorumquidi offıcturio est, eario endus moluptatur re a quibusciisim fugiaesecea quias deristo taquia quo voluptas dolenectem harunt aut omni nim harcipsae omnis es autat vendi doluptas sequisc ipsam, optatectem aut eos maxim facerorecte eliam et lamet vel iumquam quasi simoluptatur sit, omnitis del inctiuntur sectem cum niendunt aut ea con nis mil ipid et porporum imi, elit, eos sunt et ma quiatur remque illam sequo venecum fugiati scilignatem num sanducidebis etum vendia nonet, aliquias dolore consequaspit mi, audit, ut aut molupta ssequaspitat alit es quodipsae autemque dolestotae cum aut quo quate aborectem intis re corum fugia voluptaquid qui illoratur, totatent quibusam, il inctam asitibus dem et volum, sequo verfersped qui tem a pro eos dionse dolupta qui rem. Quis re paris repe ducienihicab is dicatessum ut optatur si diatecu ptatiam es modit ra viti volestio officiatur, cullandit eiciusa ectempos magnis vel im labo. con corrupis sin con ea cum quam voluptaque vellandit, exceris is reium atiiscia vel imolliquias ea aut molecum qui sinimin ihilis rempedit idem rae. Odi omnis quiat accumque que repro doloraere aliquod quatin cus et moleceseque veliandit, cus et idusam eium lHent, id uta consectiunt asserum ea con corrupis sin con ea cum quam voluptaque vellandit, exceris is reium atiiscia vel imolliquias ea aut molecum qui sinimin ihilis rempedit idem rae. Odi omnis quiat accumque que repquatin cus et moleceseque veliandit, cus

et idusam eium lacero quias et quaecust, odiscid eos expliqu isquid que voloris inciis explitate cum aut pel maio quia nusa dolo eos conseque sit que placcatiatem della volecaborum et accus eosam quiandis moloribea sunt.

Ur adigende voluptatem is quatur si que si te nobit, totae maximpo restionem. Onemque et ea aliberum is reritatur mos quo volor reheni doloribus, ommolupicias quo mossitatem quam, cus eius, commodis ma eveniae ipicidit velestium earibus molores tiasit, quo occusam lam, ut aruptam, versper rovidi id maximus ex et, istium coreium aut lamendisi disciis aut qui volore consequi dolorrum, ommolorio dia voluptur?

Methods

Citaestrum sandendiciis aboriaecus, si occabor eperovit, venet fuga. Ut latem velignim imil maximag namenti bustiat ullatiant dolupidenis et verionse nis mo beatur rerumqui officae verum nis eatius in nat quibus, et et apiciet umquid erum nonsed que nem facere sae. Feri at voluptat volupta sedi dolore quunt, utest venis provitiissum illam quam, odic te niae natenderitat eum abore, es solorpores exero qui am faccaecestis et optaers pediaerum de pa as magnate et harchicil inciat enia consecto el is explique voluptam, odis et ut facest quati aborecti res ut aut rendia non porum ut adita quis sae eiur soluptincte magni quia enis idebit abo. Ut quo mi, net alicabo. Ecus, ant accus.




Figure 1. Figure title, this is FigureStyle 2. The figure caption is placed directly after the title.

Des sae optur si blab ipsus, seque voluptiam estotatus vent.

Liam fugia quo doluptas non eatior sita nestium sam am et lam dolupture parum facea quiae mint, ipsuntiatius electur ehendae nem quidi alitatusam, cori iumquia simporit vendisini odia arum aut pre imporendam re non cuptat as ad que omnimo evel ma secea nat eum inciatem quata neturibus ullecatibus consequiae versperrum inciae re prerum quiatios sitiatus a volectinum que pro dunt plit doluptatus samustem inullestota quis numeturehent laccum et eos eatiissit es cum volor aut illa quo oditiis sed que ma qui quiaes si con ne earum enia con plabori beataspel ipist, omnimo et a nos anti quassin ctatis sinctaeserro totati cuptate seque consequ atquas nobitae doloria dusda doloreprem voloruptate debitio nsenis ist odis sam re vera secepere doloria eceatate rerspient ut am iditat libus.

Subsub heading line 2

Et magnam voluptas etur molut lat fugias maiorum coresto tectessi ut venecuptatur accupit hit, aut eossinum num que porro imodis voluptas mostet reruptiunt latum, arit as a quam dolut volore, quuntiuri aliquamus aspe dolorum inciis nihil in nonseditae. Doluptia dolorpo repudae. Udaerem sandae in parcidebis et ulpa dellupt atempel eaquasit, cus voloreptam, quid modi quis eiunt, evel modit delendit, a sae preptat ecabo. Lignimus, que re oditiis nosandus modipsam volor sitium adit, ommo tota vendit et estio. Et porenimi, abor saescium siminct oresequod que litam qui volorerepe verae vel iumet laut omni dolupta delesti osandignis im alibusaped quis as sernatium sitaquam nonserupicia volupta consequi ut officiis et hilique pliatur sam, conseque laut plibustrum re adi resti quia voluptati di omni re nimi, omnimus.

Pudae. Seque pro maio doluptatecte provit quam, accusdam facerate volorib usantem a quidebistia descilictur, officid ut quam faccumquas dipsunt, sitae volut alistrupit aut.Dempernat alicabo. Lenectatur, sinverferum dessitia dolesseque nim et utat eatur si de volorest, veles atempore con cupta niae. None rentempore od et volorep erovidis autat aut odigend aerunte ndipient mincitatque dolupta nim harchil lesequi tem cus dit et, occumet quibus solorae. Nam quis et quam hario. Et quia vel inveri con rem harit volorro tem sam volupturia dolor as volum, qui accus voluptiore eatum ullanto reperup tatur, qui consequost estiis as doloreh endebit, sum quam ea nonsed eatius et ut ulparum voluptaquunt faccatur?

Subsub heading line 3

Ne porero modis que eicae resequamusa non conse ipsapid ucitiorum, occaecepudis et la et, qui tor mintiores eosam, ium que re ecia debitate poria imusam et, odisimpero est doluptatet veliqui dolest, secusam haruptati dem autae sunt maion coreperibus aut quis et utet exercilicias expello occat. Uptae num nobiscienia volupta sitios eum hil ium re vit int utentorat omnia doluptas magnis molor mod quundunt.

Table 1. Title of the table in TableStyle 2

Variable	Placebo n=552 (54.9%)	BCG n=517 (51.3%)
Age category – no. (%)*		
60-69	408 (73.9)	384 (74.3)
70-79	113 (20.5)	114 (22.1)
80+	31 (5.6)	19 (3.7)
Sex – no. (%)		
Male sex	297 (53.8)	283 (54.9)
Female sex	255 (46.2)	234 (45.3)
Comorbidities – no. (%)		
Cardiovascular disease	101 (18.3)	85 (16.4)
Chronic kidney disease	13 (2.4)	7 (1.4)
Asthma	38 (6.9)	29 (5.6)

Abbreviations: Alternate rows are shaded light gray to improve readability. The header row is displayed in a slightly darker shade of gray to make it stand out more clearly.

Ne parum facerruptate soloris di od quis re ea dollam, sitiur sundaerunt aligenducia derem accus dolorru ntionse dionsendit, conemporro tem rem laccus, qui restem Iliquia quam, sundis ipsunt, te idita qui doloritem rem sequatus aciis aut et odit, vent, offictatqui omnit fuga. Ipsusandio qui doluptate odionsed exerovit laut offic tem explab intium ant est, verro officius ut rest asitinciis et ut eatinum volorem aliquae ctiunt.


Conclusion

Nemque sitatur acepernatem eostrum volorem accaero id endaest quo ipieni venihil ignatia que nobitio volo ommoloratem hil ium idunt volor sequam assincit vel inimper natiis rem. Et volore et rem is ap, corat aliquam ea sint volo con nese qui ut rectatquo mossus rerchit emporem quae mo comnis audi ut de ventia delenderum hil inullande nitibus, comnihi ctotatusam, voloreiunt.

At aut omnis volorem. Orereritium rempore volorporios nat in nullacea simagna menecus, ipsapelesti apitiat usdae. Nus mo volut venihitam sitatiandia qui cumque velit omnit quia quiati volupic ienimaboratet vendunto ex elest, everum qui bereria dolume illa voluptatur restrum a voluptat labores maion es sandita eat et autemod molupti istibusdae rati nihitatquati corem rem eatque ea accusdae cum facea arum alitat occuptatiur aut et fugiti doluptur aut hiciaere quamet int, aut venist et haribus voluptatur at que explicae omnim estrum is consequo veratus nihil imi, nos everum hariorro et, sus. es sandita eat et autemod molupti istibusdae rati nihitatquati corem rem eatque ea accusdae cum facea arum alitat occuptat

References

1. Cardiovascular. diseases (CVDs) Fact sheet no. 317: World Health Organization September 2012. Available from: http://www.who.int/mediacentre/factsheets/fs317/en/index.html.
2. Baigent C, Blackwell L, Emberson J, Holland LE, Reith C, Bhala N, et al. Efficacy and safety of more intensive lowering of LDL cholesterol: a meta-analysis of data from 170,000 participants in 26 randomised trials. Lancet. 2010;376(9753):1670-81.
3. Randomised trial of cholesterol lowering in 4444 patients with coronary heart disease: the Scandinavian Simvastatin Survival Study (4S). Lancet. 1994;344(8934):1383-9.
4. Sacks FM, Pfeffer MA, Moye LA, Rouleau JL, Rutherford JD, Cole TG, et al. The effect of pravastatin on coronary events after myocardial infarction in patients with average cholesterol levels. Cholesterol and Recurrent Events Trial investigators. N Engl J Med. 1996;335(14):1001-9.
5. Downs JR, Clearfield M, Weis S, Whitney E, Shapiro DR, Beere PA, et al. Primary prevention of acute coronary events with lovastatin in men and women with average cholesterol levels: results of AFCAPS/TexCAPS. Air Force/Texas Coronary Atherosclerosis Prevention Study. Jama. 1998;279(20):1615-22.
6. Prevention of cardiovascular events and death with pravastatin in patients with coronary heart disease and a broad range of initial cholesterol levels. The Long-Term Intervention with Pravastatin in Ischaemic Disease (LIPID) Study Group. N Engl J Med. 1998;339(19):1349-57.
7. Libby P. The forgotten majority: unfinished business in cardiovascular risk reduction. J Am Coll Cardiol. 2005;46(7):1225-8.
8. Deedwania P, Barter P, Carmena R, Fruchart JC, Grundy SM, Haffner S, et al. Reduction of low-density lipoprotein cholesterol in patients with coronary heart disease and metabolic syndrome: analysis of the Treating to New Targets study. Lancet. 2006;368(9539):919-28.
9. Yusuf S, Hawken S, Ounpuu S, Dans T, Avezum A, Lanas F, et al. Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. Lancet. 2004;364(9438):937-52.
10. MRC/BHF Heart Protection Study of cholesterol lowering with simvastatin in 20,536 high-risk individuals: a randomised placebo-controlled trial. Lancet. 2002;360(9326):7-22.
11. Baigent C, Keech A, Kearney PM, Blackwell L, Buck G, Pollicino C, et al. Efficacy and safety of cholesterol-lowering treatment: prospective meta-analysis of data from 90,056 participants in 14 randomised trials of statins. Lancet. 2005;366(9493):1267-78.
12. Versmissen J, Oosterveer DM, Yazdanpanah M, Defesche JC, Basart DC, Liem AH, et al. Efficacy of statins in familial hypercholesterolaemia: a long term cohort study. BMJ (Clinical research ed). 2008;337:a2423.
13. Sirimarco G, Labreuche J, Bruckert E, Goldstein LB, Fox KM, Rothwell PM, et al. Atherogenic dyslipidemia and residual cardiovascular risk in statin-treated patients. Stroke. 2014;45(5):1429-36.
14. Hovingh GK, Rader DJ, Hegele RA. Hovingh GK, Rader DJ, Hegele RA. HDL re-examined. Curr Opin Lipidol. 2015;26(2):127-32.
15. Hokanson JE, Austin MA. Plasma triglyceride level is a risk factor for cardiovascular disease independent of high-density lipoprotein cholesterol level: a meta-analysis of population-based prospective studies. Journal of cardiovascular risk. 1996;3(2):213-9.


3

CHAPTER 3

The typeface used in Design Style Three is Garamond Pro. The colors of the chapter pages will be customized to complement the cover design.

Firstname Name, Firstname Name, Firstname Name, Firstname Name, Firstname Name
Firstname Name, Firstname Name, Firstname Name

Published as:
Text Text Text. 2026

ABSTRACT

Introduction

Sedigendel moluptatur re od quid quiduciae core molore qui rem que laboresti sum unt vellis et exerovit, ipit quam, intiorum latas acculloreris solo most est, quia corendebit arum reriberum endest, cuptur? Eliquas se laceperias et, corest, odipica esciis delesti oreperibus as cus repel estrum que et am am, ut doloreniet eate necumqu iscipsunt quo consequiam, tem audam repra desseque dolupta eptasperibus excera ipsam harum faciat.

Methods

Serum qui corenda ecabo. Et hil mi, venia nullitam sinum quat omnis enimus atusand untionse conserum alita nobit aliassi minvent volecep eliquam fuga. Ugiat fugite delenia dolo veriae. Sum, aut id expe dit liquam quam hario. Nam, nemquod quias dis siti audicienim fugia susanih icipsum eatis eatiume dolorum fugit imoditium eressi teculpario qui tore venis aut fuga. Ut es ello beatate simolor sequossit lacerit atecusae vent landips animporerest ommos audit, sim quossit dolorrores di cusam nos eatiusamus doluptiusdae sit, sedignatur aut vel et magnimaiorro to etur, eatur aut ad et debit, seque minveli quatur ad quia dolo blabo. El id que mo dolut ut ma volo in nonet et velent, ulla invelicit ius.

Discussion

Num escium fuga. Am facil eosapic tincipiet, quodignis nam sequam eume int la dem ius non nest, comnis pliqui nobis minctatectem qui commolore dolore laborae. Ilit quo eiciis sam, tem eic te lant omnihit idusapid esciam necto cuptatist, volorem conetur itatempore, sum endeles ciist, si ius, simpor am quame restio. Mus, officius volupta epellat ibusam la si optaturem quature volorum quaepello isquibu stionsequo tem ut moluptur, tem sunt ent venihici temquae cusdae optiaeris dolore eictiat ma quatiasit antur? Qui to eat.

Conclusions

Ihic te doloribus quo ime solloreste experum qui ut es es etust, entemo consend ipidit eos net el iur asperatum aut quaspeles el magnim evellaborrum ad mi, con peditas peliquas aut qui odio volupta volut accuptin comnis eossin pos alibus re voluptium, ist dipsum nimenis venis alicil eium numquiam nonsequam rehendest est perchictatur sin nonest, im ut laut ipiet quae ni natest, qui dem. Ipid qui ute vento dolutem restius doluptat aut vel evendi alibus secest, soluptat.

INTRODUCTION

Ed quiassime quam, consequia con pratempor moloreiuntis diorior re, omnisit quam quate volo vendici liquaspel iuritibus doloria suntium re in exerum lia ipsae lat remporp orerferi dest acessequo beat re et et et fuga. Name nos et idit ero te eum qui nullautatur? Iciist aperest fugiasperum voluptam, sam ea es venduci optaeped utecabore volorep udisquat faccatem isquid magnihil id et vent audi cus et voluptas quamet pro il magnam et il eiur, nis exeria quamus secullibus, nus.

Tassit, consed ulloreium re et, qui nullis eium dolum harumet di delenimus possequiae nessed quuntem cumenimi, sequunt voluptatem enisquiatur, cusamentius aut ma num nienden delique net, nonsed et, aceprerror as dem etur aut quo velissi tisimus as sequibus doleseq uostiae a que non conet repedit, con nuscil moles explab int, sita sum quo omnis magnihicia cus ex eum rem fugiae officat ut eaquidenem sequiamus eos as sitiume ma di illanditio. Anda verum quiberiaessi sunt remquatis num nonsequ aeptaquis ullitiunt ium fugiam etur?

Consed estrum quia nonsequ atust, omnit atiaspiet hitatem ut incienda quis init odit ium quibus di coriandebis ium ratur rate nimusam dolore, cor sus sint pro voluptam, et quis miliquundae necest aut int, si ommoles equibusa dictem quas re porerrum faccus et faceaqu aectiur iorio. Abore voluptat.

Subheading line 1

Ut rescipidem volo moditas evel moluptatur? Quis ariti tore volorrum estor sitatqui utatemquam fuga. Faccab il ium volore, aut exeruptia dist, nessiti nonest occabor sum ate ad ea consenis res nihit, officienit ut aruptam quid quis dolupit volorumquidi offícturio est, eario endus moluptatur re a quibusciisim fugiaesecea quias deristo taquia quo voluptas dolenectem harunt aut omni nim harcipsae omnis es autat vendi doluptas sequisc ipsam, optatectem aut eos maxim faceroreсte eliam et lamet vel iumquam quasi simoluptatur sit, omnitis del inctiuntur sectem cum niendunt aut ea con nis mil ipid et porporum imi, elit, eos sunt et ma quiatur remque illam sequo venecum fugiati scilignatem num sanducidebis etum vendia nonet, aliquias dolore consequaspit mi, audit, ut aut molupta ssequasqui illoratur, totatent quibusam, il inctam asitibus dem et volum, sequo verfersped qui tem a pro eos dionse dolupta qui rem. Quis re paris repe ducienihicab is dicatessum ut optatur si diatecu ptatiam es modit ra viti volestio officiatur, cullandit eiciusa ectempos magnis vel im labo. con corrupis sin con ea cum quam voluptaque vellandit, exceris is reium atiiscia vel imolliquias ea aut molecum qui sinimin ihilis rempedit idem rae. Odi omnis quiat accumque que repro doloraere aliquod quatin cus et moleceseque veliandit, cus et idusam eium lHent, id uta consectiunt asserum ea con corrupis sin con ea cum quam voluptaque vellandit, exceris is reium atiiscia vel imolliquias ea aut molecum qui sinimin ihilis rempedit idem rae. Odi omnis quiat accumque que repquatin cus et moleceseque veliandit, cus et idusam eium lacero quias et

quaecust, odiscid eos expliqu isquid que voloris inciis explitate cum aut pel maio quia nusa dolo eos conseque sit que placcatiatem della volecaborum et accus eosam quiandis moloribea sunt. Ur adigende voluptatem is quatur si que si te nobit, totae maximpo restionem. Onemque et ea aliberum is reritatur mos quo volor reheni doloribus, ommolupicias quo mossitatem quam, cus eius, commodis ma eveniae ipicidit velestium earibus molores tiasit, quo occusam lam, ut aruptam, versper rovidi id maximus ex et, istium coreium aut lamendisi disciis aut qui volore consequi dolorrum, ommolorio dia voluptur?

METHODS

Citaestrum sandendiciis aboriaecus, si occabor eperovit, venet fuga. Ut latem velignim imil maximag namenti bustiat ullatiant dolupidenis et verionse nis mo beatur rerumqui officae verum nis eatius in nat quibus, et et apiciet umquid erum nonsed que nem facere sae. Feri at voluptat volupta sedi dolore quunt, utest venis provitiissum illam quam, odic te niae natenderitat eum abore, es solorpores exero qui am faccaecestis et optaers pediaerum de pa as magnate et harchicil inciat enia consecto el is explique voluptam, odis et ut facest quati aborecti res ut aut rendia non porum ut adita quis sae eiur soluptincte magni quia enis idebit abo. Ut quo mi, net alicabo. Ecus, ant accus.




Figure 1. The figure title is set in bold, this is FigureStyle 3.

The figure caption is placed below the title. The entire title is displayed in bold, while the remaining caption text is set in regular type. If no title is provided, only the word Figure and the figure number are shown in bold.

Des sae optur si blab ipsus, seque voluptiam estotatus vent.

Liam fugia quo doluptas non eatior sita nestium sam am et lam dolupture parum facea quiae mint, ipsuntiatius electur ehendae nem quidi alitatusam, cori iumquia simporit vendisini odia arum aut pre imporendam re non cuptat as ad que omnimo evel ma secea nat eum inciatem quata neturibus ullecatibus consequiae versperrum inciae re prerum quiatios sitiatus a volectinum que pro dunt plit doluptatus samustem inullestota quis numeturehent laccum et eos eatiissit es cum volor aut illa quo oditiis sed que ma qui quiaes si con ne earum enia con plabori beataspel ipist, omnimo et a nos anti quassin ctatis sinctaeserro totati cuptate seque consequ atquas nobitae doloria dusda doloreprem voloruptate debitio nsenis ist odis sam re vera secepere doloria eceatate rerspient ut am iditat libus.

Subsub heading line 2

Et magnam voluptas etur molut lat fugias maiorum coresto tectessi ut venecuptatur accupit hit, aut eossinum num que porro imodis voluptas mostet reruptiunt latum, arit as a quam dolut volore, quuntiuri aliquamus aspe dolorum inciis nihil in nonseditae. Doluptia dolorpo repudae. Udaerem sandae in parcidebis et ulpa dellupt atempel eaquasit, cus voloreptam, quid modi quis eiunt, evel modit delendit, a sae preptat ecabo. Lignimus, que re oditiis nosandus modipsam volor sitium adit, ommo tota vendit et estio. Et porenimi, abor saescium siminct oresequod que litam qui volorerepe verae vel iumet laut omni dolupta delesti osandignis im alibusaped quis as sernatium sitaquam nonserupicia volupta consequi ut officiis et hilique pliatur sam, conseque laut plibustrum re adi resti quia voluptati di omni re nimi, omnimus.

Pudae. Seque pro maio doluptatecte provit quam, accusdam facerate volorib usantem a quidebistia descilictur, officid ut quam faccumquas dipsunt, sitae volut alistrupit aut.Dempernat alicabo. Lenectatur, sinverferum dessitia dolesseque nim et utat eatur si de volorest, veles atempore con cupta niae. None rentempore od et volorep erovidis autat aut odigend aerunte ndipient mincitatque dolupta nim harchil lesequi tem cus dit et, occumet quibus solorae. Nam quis et quam hario. Et quia vel inveri con rem harit volorro tem sam volupturia dolor as volum, qui accus voluptiore eatum ullanto reperup tatur, qui consequost estiis as doloreh endebit, sum quam ea nonsed eatius et ut ulparum voluptaquunt faccatur?

Subsub heading line 3

Ne porero modis que eicae resequamusa non conse ipsapid ucitiorum, occaecepudis et la et, qui tor mintiores eosam, ium que re ecia debitate poria imusam et, odisimpero est doluptatet veliqui dolest, secusam haruptati dem autae sunt maion coreperibus aut quis et utet exercilicias expello occat. Uptae num nobiscienia volupta sitios eum hil ium re vit int utentorat omnia doluptas magnis molor mod quundunt.

Table 1. Title of the table in TableStyle 2

Variable	Placebo n=552 (54.9%)	BCG n=517 (51.3%)
Age category – no. (%)*		
60-69	408 (73.9)	384 (74.3)
70-79	113 (20.5)	114 (22.1)
80+	31 (5.6)	19 (3.7)
Sex – no. (%)		
Male sex	297 (53.8)	283 (54.9)
Female sex	255 (46.2)	234 (45.3)
Comorbidities – no. (%)		
Cardiovascular disease	101 (18.3)	85 (16.4)
Chronic kidney disease	13 (2.4)	7 (1.4)
Asthma	38 (6.9)	29 (5.6)

Abbreviations: The header row is black with white text, and a thin hairline rule separates each of the remaining rows. The table title is set entirely in bold.

Ne parum facerruptate soloris di od quis re ea dollam, sitiur sundaerunt aligenducia derem accus dolorru ntionse dionsendit, conemporro tem rem laccus, qui restem Iliquia quam, sundis ipsunt, te rem qui voloresti cum alicienis nihil idita qui doloritem rem sequatus aciis aut et odit, vent, offictatqui omnit fuga. Ipsusandio qui doluptate odionsed exerovit laut offic tem explab intium ant est, verro officius ut rest asitinciis et ut eatinum volorem aliquae ctiunt.

CONCLUSION

Nemque sitatur acepernatem eostrum volorem accaero id endaest quo ipieni venihil ignatia que nobitio volo ommoloratem hil ium idunt volor sequam assincit vel inimper natiis rem. Et volore et rem is apidustiatem volore sunt posandae accust, sequi quassuntur sus molest, quis et, consequam, officab orernatiur, corat aliquam ea sint volo con nese qui ut rectatquo mossus rerchit emporem quae mo comnis audi ut de ventia delenderum hil inullande nitibus, comnihi ctotatusam, voloreiunt.
At aut omnis volorem. Orereritium rempore volorporios nat in nullacea simagna menecus, ipsapelesti apitiat usdae. Nus mo volut venihitam sitatiandia qui cumque velit omnit quia quiati volupic ienimustibus mo ilit qui consequi dolore eat ut aboratet vendunto ex elest, everum qui bereria dolume illa voluptatur restrum a voluptat labores maion es sandita eat et autemod molupti istibusdae rati nihitatquati corem rem eatque ea accusdae cum facea arum alitat occuptatiur aut et fugiti doluptur aut hiciaere quamet int, aut venist et haribus voluptatur at que explicae omnim estrum is consequo veratus nihil imi, nos everum hariorro et, sus.

REFERENCES

1. Cardiovascular. diseases (CVDs) Fact sheet no. 317: World Health Organization September 2012. Available from: http://www.who.int/mediacentre/factsheets/fs317/en/index.html.
2. Baigent C, Blackwell L, Emberson J, Holland LE, Reith C, Bhala N, et al. Efficacy and safety of more intensive lowering of LDL cholesterol: a meta-analysis of data from 170,000 participants in 26 randomised trials. Lancet. 2010;376(9753):1670-81.
3. Randomised trial of cholesterol lowering in 4444 patients with coronary heart disease: the Scandinavian Simvastatin Survival Study (4S). Lancet. 1994;344(8934):1383-9.
4. Sacks FM, Pfeffer MA, Moye LA, Rouleau JL, Rutherford JD, Cole TG, et al. The effect of pravastatin on coronary events after myocardial infarction in patients with average cholesterol levels. Cholesterol and Recurrent Events Trial investigators. N Engl J Med. 1996;335(14):1001-9.
5. Downs JR, Clearfield M, Weis S, Whitney E, Shapiro DR, Beere PA, et al. Primary prevention of acute coronary events with lovastatin in men and women with average cholesterol levels: results of AFCAPS/TexCAPS. Air Force/Texas Coronary Atherosclerosis Prevention Study. Jama. 1998;279(20):1615-22.
6. Prevention of cardiovascular events and death with pravastatin in patients with coronary heart disease and a broad range of initial cholesterol levels. The Long-Term Intervention with Pravastatin in Ischaemic Disease (LIPID) Study Group. N Engl J Med. 1998;339(19):1349-57.
7. Libby P. The forgotten majority: unfinished business in cardiovascular risk reduction. J Am Coll Cardiol. 2005;46(7):1225-8.
8. Deedwania P, Barter P, Carmena R, Fruchart JC, Grundy SM, Haffner S, et al. Reduction of low-density lipoprotein cholesterol in patients with coronary heart disease and metabolic syndrome: analysis of the Treating to New Targets study. Lancet. 2006;368(9539):919-28.
9. Yusuf S, Hawken S, Ounpuu S, Dans T, Avezum A, Lanas F, et al. Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. Lancet. 2004;364(9438):937-52.
10. MRC/BHF Heart Protection Study of cholesterol lowering with simvastatin in 20,536 high-risk individuals: a randomised placebo-controlled trial. Lancet. 2002;360(9326):7-22.
11. Baigent C, Keech A, Kearney PM, Blackwell L, Buck G, Pollicino C, et al. Efficacy and safety of cholesterol-lowering treatment: prospective meta-analysis of data from 90,056 participants in 14 randomised trials of statins. Lancet. 2005;366(9493):1267-78.
12. Versmissen J, Oosterveer DM, Yazdanpanah M, Defesche JC, Basart DC, Liem AH, et al. Efficacy of statins in familial hypercholesterolaemia: a long term cohort study. BMJ (Clinical research ed). 2008;337:a2423.
13. Sirimarco G, Labreuche J, Bruckert E, Goldstein LB, Fox KM, Rothwell PM, et al. Atherogenic dyslipidemia and residual cardiovascular risk in statin-treated patients. Stroke. 2014;45(5):1429-36.
14. Hovingh GK, Rader DJ, Hegele RA. HDL re-examined. Curr Opin Lipidol. 2015;26(2):127-35.

EXTRA OPTIONS

Interior Print-Ready-file

It is also possible to supply your own pre-designed interior file (in PDF format). We will have our printing partner check whether it is truly print-ready. (Please note: a 3 mm bleed is required on all sides.)

Interior DesignBlend

There is also the option to choose the **DesignBlend**-package. For a small additional fee (see pricing), you can combine elements from the three available Design Styles.

First, you select the design style with your preferred typeface. Then, based on the examples, you indicate which elements you would like to combine. You can select six components: the layout of the abstract page, chapter pages, tables, figures, page numbering/headers, and the side tabs.

This allows you to create a design that perfectly matches your preferences while still benefiting from the advantages of an existing design.

Example:

I choose Design Style 1 (this is the style with my preferred typeface).

- Abstract page as Design Style 2

- Chapterpage as in Design Style 2

- Tables as in Design Style 2

- Figures as in Design Style 2

- Page numbering/headers as in DesignStyle 1

- Side tabs as in Design Style 3

Interior DesignSpecial

You can also choose the **DesignSpecial**-option for the interior layout. With this option, the interior of your dissertation is designed entirely from scratch and tailored to your specific preferences.

During a personal consultation, you will discuss your ideas with one of our designers to determine how you would like your dissertation to look. Based on this consultation, a fully customized design will be created that reflects your vision. Additional charges apply for this service. Please refer to the pricing information at the back of this booklet.

Cover DesignSpecial.

You can also choose the **DesignSpecial**-option for your dissertation cover if you do not have a suitable cover image or if you would like a completely unique cover design.

With this option, your cover is designed entirely from scratch and tailored to your preferences and the content of your dissertation. During a personal consultation, you will discuss your ideas and preferences with one of our designers, who will then create a custom cover design for you. Additional charges apply for this service. Please refer to the pricing information at the back of this booklet.

COSTS

For the DesignComplete package (printing + design).

For an interior of 200 pages

INTERIOR 200 pag	20 collorpages	50 collorpages	100 collorpages
15 Copies	€1161,-	€1184,-	€1223,-
20 Copies	€1190,-	€1210,-	€1245,-
25 Copies	€1228,-	€1250,-	€1288,-
30 Copies	€1271,-	€1293,-	€1331,-

For an interior of 230 pages

INTERIOR 230 pag	20 collorpages	50 collorpages	100 collorpages
15 Copies	€1178,-	€1199,-	€1239,-
20 Copies	€1206,-	€1227,-	€1265,-
25 Copies	€1244,-	€1266,-	€1304,-
30 Copies	€1288,-	€1310,-	€1348,-

All prices include 9% VAT and are rounded.
(The invoice will be issued via the printing company due to VAT benefits.)

This includes:

- The design of the interior according to one of the three Design Styles from the DesignComplete package.
- A maximum of two revision rounds of the designed layout before the digital proof, and one revision round after receiving the digital proof. Up to 100 unique corrections are included. For additional corrections, a fee of €0.50 (incl. 9% VAT) per correction will be charged.
- Placement of the provided cover image within one of the three Radboud University Press templates. Three design proposals will be created with the title placed on the front cover and spine. One additional revision round is included..
- Receipt of a digital proof from the printing company.
- Preparation of print-ready files by the designers for the printing company.
- Delivery of the dissertations to one address in the Netherlands.
- Design and printing of the bookmark-invitation.*
- Design and printing of the (A5) propositions.*

** These items are included free of charge; no costs will be deducted if you choose not to use them.*

In the pricing on the previous page, printing and design costs are already combined. For printing, calculations are based on 200 or 230 pages. However, it is very likely that the final manuscript will contain slightly more or fewer pages, as well as a different number of colour pages. Therefore, a separate quotation will always be provided once the final page count of the interior is known (the number of pages in the Word document will differ from the number of pages in the designed file).
It is also possible that the final price is only confirmed once work has already started, as pages may still be added or removed. For this reason, the prices should be considered indicative until completion.

The design prices provided are also indicative. For the complete layout, up to 230 designed pages are included, with a maximum of 60 tables/figures/formulas included in the design.
If there are more designed pages, an additional €65.40 (incl. 9% VAT) per 50 pages will be charged. For each additional figure or table, €2.20 (incl. 9% VAT) will be charged.

Prices additional options

- **Physical proof copy**

  A physical proof copy will be delivered to your home so you can review it once more before the actual printing process starts. Costs €32,70 incl. 9% VAT extra. (€ 30,- excl. btw)
  Please note that an additional 5 working days are required in the schedule to produce this proof copy.

- **Interior DesignBlend**

  Combine elements of the three Design Styles from the DesignComplete package as desired.
  Costs €88,- extra incl. 9% VAT*

- **Interior DesignSpecial**

  Together with a designer, you discuss how your interior should look. This option offers more freedom in design, including additional possibilities for different chapter pages.
  Costs €436,- incl. 9% VAT * extra. (€ 400,- excl btw)
  (for the design for an interior of up to 230 pages)

- **Cover DesignSpecial**

  A fully custom-designed cover tailored to your preferences and the content of your dissertation. You will have a personal consultation with a designer who will work on your cover. Including three rounds of revisions. Note: we work with several experienced designers, each with their own style. It may therefore not always be possible to realise every requested design. If this is the case, we will always inform you in advance, and find the best solution.
  Costs €327,- extra incl. 9% VAT* (€ 300,- excl. 9% VAT)

- **Interior LaTeX/PDF**

  If you have prepared your own interior in the correct format (17x24cm) and send it to us as a PDF, we can check whether it is fully print-ready. The file must include a 3 mm bleed on all sides.
  €218,- incl. 9% VAT* will be deducted from the price (compared to a DesignComplete package) if the file is fully correct and requires no further adjustments.

* The total invoice will be issued by the printing company. This provides a VAT advantage, as 9% VAT is applied to the total amount instead of 21% VAT on the design portion.
  If the design work must be invoiced separately through the design agency, 21% VAT will be charged on the design portion. This is legally required.

FILE SUBMISSION GUIDELINES

The interior must be delivered as *clean copy*. This means that the text is final and, in principle, no further content changes are required.

What to consider

Manuscript layout

To work as efficiently as possible, we prefer to receive the manuscript as a single Word file. Please place images and tables as close as possible to their intended position in the text so it is clear where they should appear.

Headings

We recommend using the standard heading styles in Word. This allows us to clearly identify the hierarchy of headings, which improves the overall layout.

Images

Since images in Word are automatically compressed, we ask you to also supply them as separate files. Suitable formats include PDF, TIFF, JPEG, EPS, PSD, AI, and PNG.
Please note that print quality depends on the quality of the submitted images. We recommend a minimum resolution of 150 dpi; higher resolution is preferable for optimal results.

References

Please check the reference list in advance for consistency. It is common for different reference styles to be used due to journal requirements. We therefore recommend using a single reference style throughout the dissertation. Adjusting references after the layout has been designed often requires extensive additional correction work.

Language

Please verify in advance whether the manuscript should be written in British or American English. For dissertations consisting of articles, this may vary per chapter depending on journal requirements.